



Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective. / WEEE-Reg.-No. DE 69718127

DESIGN

CONSTRUCTIVE DESIGN

All the materials used correspond to the requirements according to RAL-GZ 430/4.

Fully upholstered suite, metal base frame

Seat upholstery structure: rubber straps, polystyrene foam VW 40, Diolen

Back upholstery structure: rubber straps, polystyrene foam, Diolen

UPHOLSTERY CASUAL / LOOSE

With casual upholsteries you are rather sitting „in the sofa“ than on it, the upholstery snuggles. A casual/loose upholstery is characterized by a smooth upholstery structure. The cover is not wavelless. The ridge of the covers on the seat, back and the armrests as well as sitzmarks due to model and design are typical.

Slight differences in seat firmness with add-on groups are according to construction and therefore constitute no reason for complaint.

BACK TENSIONING SECTIONS

All back tensioning sections are supplied as standard with the original cover.

STANDARD FUNCTIONS

FUNCTIONAL BACK

With each element the back can be infinitely raised (manual). Thereby the seat depth is enlarged up to 12 cm. The sofa becomes a high back.



FREE MOTION models allow latitude referring to functional control: Seat adjustment as well as adjustment of leg part and sideward movement are controlled as standard via sidewise fixed sensors on the cover (motor-driven adjustment).

INSIDE at the seat for sideward movement to the left and right




OUTSIDE at the seat for seat adjustment (seat, back and leg part)



ELEMENTS WITH EDIT 1, EDIT 2, EDIT 3


FUNCTIONAL ELEMENT C with slidabile and turnable seat as well as seat adjustment

The leg part and the back can be infinitely adjusted separate of each other via motor. The handling is carried out by the sidewise (outside of the seat) fitted 4 buttons. In addition to the seat adjustment the seat can be moved to the left respectively to the right via 2 further buttons at the inside of the seat. The thereby enlarged space of respectively approx. 28 cm can be used as shelf. In addition both seats are manually turnable up to 320° to the left and to the right.




FUNCTIONAL ELEMENT T with slidabile and turnable seat as well as seat adjustment

The leg part and the back can be infinitely adjusted separate of each other via motor. The handling is carried out by the sidewise (outside of the seat) fitted 4 buttons. In addition to the seat adjustment the seat can be moved to the left respectively to the right via 2 further buttons at the inside of the seat. The thereby enlarged space left respectively right of approx. 28 cm can be used as shelf. In addition both seats are manually turnable up to 320° to the left and to the right.



FUNCTIONAL ELEMENT CL/R with slidabile and turnable seat as well as seat adjustment

The leg part and the back can be infinitely adjusted separate of each other via motor. The handling is carried out by the sidewise (outside of the seat) fitted 4 buttons. In addition to the seat adjustment the seat can be moved to the left respectively to the right via 2 further buttons at the inside of the seat. The thereby enlarged space of respectively approx. 28 cm can be used as shelf. In addition both seats are manually turnable up to 320° to the left and to the right.



Please note:

- With **CL** the **right seat is sidewise slidable**.
- With **CR** the **left seat is sidewise slidable**.

ADD-ON CORNER IL/R with functional back

The add-on corner has 2 raisable functional backs.




ADD-ON CORNER I1/2 with functional back

The add-on corner has one functional back.




DAYBED PL/R with back adjustment

The back can be infinitely adjusted via motor. The handling is carried out by the sidewise (outside of the seat) fitted 2 buttons.



FUNCTIONAL STOOL HF with turnable seat

The seat is manually turnable up to 320° to the left and to the right.





Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective.

ELEMENTS WITH EDIT 4 AND EDIT 5

FUNCTIONAL ELEMENTS with movable and turnable seats as well as seat adjustment

The leg part and the back can be infinitely adjusted separately of each other via motor. The handling is carried out by the sidewise (outside at the seat) fitted 4 buttons.

In addition to the seat adjustment both seats can be moved independently of each other to the left respectively to the right by 2 further buttons at the inside of the seat. The space of respectively approx. 28 cm arisen out of it can be used as shelf.

In addition the seats are manually turnable up to 320° to the left and to the right.

EDIT 4
C1 / C2 / C3



EDIT 5
C4



FUNCTIONAL ARMCHAIR

FUNCTIONAL ARMCHAIR VM2 with rotatable seats as well as seat adjustment

Leg part and back can be infinitely adjusted independently of each other via motor. The handling is effected by sidewise (at the outside of the seat) fixed buttons (4 pieces).

VM2



The back can be raised infinitely (manual). Thereby the seat depth is enlarged up to 12 cm. The sofa becomes a high back.

The motor can be actuated optionally by **mains current** or with a **rechargeable battery**.

Extra charge for battery: 902,-

Please charge the battery completely before first use.

The tethered functional armchair (with mains current) has a turn limiter. This avoids that the electric cable wraps around the frame. Rotatability of this version is 320°. With rechargeable battery actuated version the functional armchair is rotatable by maximum 360°.

Metal rotary spray (5-arm) optionally available in:

- aluminium mat (satined)
- powder-coated structural black mat



FUNCTION BLUETOOTH OPTIONAL

Alternative to the adjustment via TOUCH-IT sensors it's possible to control the electrical functions (seat, back, leg part and sideward movement) via **Bluetooth - BLT**.

The individual functions are adjusted using the included remote control. The control is fixed via an incorporated magnet sidewise in the seat.



In addition, a control unit consisting of two sensor buttons is installed on the outside of the seat. These are necessary in order to be able to adjust the seat units even if the remote control is dropped, lost or defective.



If the front button is pressed and held, the seat unit returns into the starting position (back raised and leg part retracted).

If the rear sensor button is constantly pressed, the leg part and back can be moved together into a reclined position.

The extra charge for Bluetooth - BLT is assigned to the corresponding item on the respective price sheet.

POSSIBLE COMBINATIONS

Please note: The add-on elements of EDIT 1, EDIT 2 and EDIT 3 can't be combined with each other!

SAFETY INSTRUCTIONS

Assistance system to reduce crushing hazard and risk of injury

For safety reasons the sofa is equipped with an assistance system to reduce the crushing hazard and risk of injury. This assistance system is avoiding the driving on of the power units in case of blockade of the functional parts. The power units are stopping in case of blockade and move in the opposite direction approx. 2 seconds.

When this deactivation is arising make sure that there are no persons respectively objects in the radius of movement before further handling.



Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective.

PLATEAU SURFACES

Below you may find a general list of the individual plateau surfaces. Please refer to pages 3 and 4 for exact assignment per element.

WOOD VENEER

Only the high-quality trunks and therefore the smallest part of the total felling can be used for the furniture construction. That applies to the use of the trunk for veneer production, too. The choice of wood is done selectively according to the requests typical for furniture.

In contrast to solid wood veneered surfaces are less sensitive to variabilities of temperature and dampness. Veneered surfaces are protected. This makes the care especially easy and exerts the beauty of the material.


SOLID WOOD

Wood is an agile material and reacts to the room climate, i.e. it absorbs dampness of the air and dispenses it again. As a basic principle wood has the characteristic to act naturally (to expand/decrease). The technical processing shows natural characteristics; dimensional tolerances are possible. These characteristics constitute no grounds of complaint.

Beam oak UV laminated with oil effect: Beam oak is no special kind of oak, but the name should make clear that it is a matter of specific sort of oak. Solely oak trunks that have grown in special areas and possesses as much as possible branches will be used. Different congeries of branches and knotholes in different sizes are typical characteristics. Reworked respectively ground wind shocks and nicks as well as cross cracks in branches, grain wood cracks or growth cracks render a wide colour spectrum and are typical for beam oak.

The plateaus are optionally available in:


- walnut (UV laminated with oil effect)



- beam oak (UV laminated with oil effect) against extra charge see price sheet



Plateau in STONE OPTICS GRAPHITE



PLATEAU AND LEGS WITH EDIT 1

EDIT 1 - Plateau clear of ground covered with metal legs powder-coated black mat

Plateau can be chosen independently of the seats in all covering materials of the current Collection.



With combination of two covering materials of a different price (seats and plateau) the higher price category will be invoiced as standard.

Fabric- and leather requirement of the plateaus on request.

PLATEAU AND LEGS WITH EDIT 2

EDIT 2 - Plateau clear of ground with metal runner powder-coated black mat.

Plateau optionally available in:

WOOD VENEER
(UV laminated with oil effect)

- walnut
- beam oak against extra charge see price list



PLATEAU AND LEGS WITH EDIT 3

EDIT 3 - Plateau near ground with metal legs powder-coated black mat.

Plateau optionally available in:

WOOD VENEER
(UV laminated with oil effect)

- walnut
- beam oak against extra charge see price list





Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective.

PLATEAU AND LEGS WITH EDIT 4

EDIT 4 - plateau clear of ground

Element C1 - solid wooden frame with inlay covered
with metal runners powder-coated black mat

Frame (UV laminated with oil effect) optionally available in:

- walnut solid
- beam oak solid



Inlay covered: The inlay can be chosen independently of the seats in all covering materials of the current collection

Element C2 - frame covered with inlay wood veneer
with metal runners powder-coated black mat

The frame can be chosen independently of the seats in all covering materials of the current collection.



Inlay in wood veneer (UV laminated with oil effect) is optionally available in:

- walnut
- beam oak

Please note: The element C2 with covered frame can't be produced with covered inlay!

Element C3 - plateau stone optics graphite
with metal runners powder-coated black mat



PLATEAU AND LEGS WITH EDIT 5

EDIT 5 - plateau clear of ground

Element C4 - wood veneer with bark inlay
with metal runner powder-coated black mat

Plateau optionally available in:

WOOD VENEER
(UV laminated with oil effect)

- walnut
- beam oak against extra charge see price list



The application made out of oak bark is worked in the middle of the plateau and covered by a glass plate (bronzed, toned).

The glass plate is tempered safety glass.

In addition an indirect lighting is integrated. It can be powered on via TOUCH-IT switch (mains current) if desired. The TOUCH-IT switch is placed centrally ahead of the glass plate on the plateau.

PLATEAU HEIGHT AND CLEARANCE HEIGHT

EDIT 1 and EDIT 5

The total height of the plateau (incl. leg) is approx. 18 cm and the clearance height is approx. 10 cm.

EDIT 2 and EDIT 4

The total height of the plateau (incl. leg) is approx. 18 cm and the clearance height is approx. 12 cm.

EDIT 3

The total height of the plateau (incl. leg) is approx. 18 cm and the clearance height is approx. 4 cm.



Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective.

TABLES WITH EDIT 1

The **table K matching EDIT 1 - clear of ground covered** will be covered completely and can be delivered in all covering materials of the current Collection.

TABLES WITH EDIT 2

The **table K matching EDIT 2 - clear of ground** is available in the following surfaces:

WOOD VENEER

(UV laminated with oil effect)

- walnut
- beam oak against extra charge see price list

TABLES WITH EDIT 3

The **table K matching EDIT 3 - near ground** is available in the following surfaces:

WOOD VENEER

(UV laminated with oil effect)

- walnut
- beam oak against extra charge see price list

SIDE TABLE (KA)

The **side table KA** is optionally available in:

WOOD VENEER

(UV laminated with oil effect)

- walnut
- beam oak



SEAM

Depending on the model, the seam on leather covers may be different from fabric covers, especially on fitted items. Decorative leather seam (as felled seams or double seams) may be omitted depending on the model according to suitability of the fabric covering material.

The model is only worked with selvedge seam.

ARMREST CUSHION (YA2)

With all elements armrest cushion **YA2** insertable by brackets.


The bracket is upholstered and covered in the respectively desired covering material.



NECK CUSHION (YN)

Counter weight

without magnet, cushion fixation via an affixed counter weight.



CUSHION RECOMMENDATION FOR ADD-ON CORNER 11/2

With the **add-on corner 11/2** we recommend to use in addition the back cushion Y (84 x 48 cm) for an optimal and improved seat comfort.

LOAD CAPACITY

Please note: Each seat can be weighted with maximum 130 kg body weight. Therefore only one person should sit on a seat.



The weight carrying capacity of functional parts is limited and not designed for load with the body weight (max. 30 kg). The moved out leg part as well as the adjustable functional back must not be used as seat.

INDICATIONS OF DIMENSIONS AND REQUIREMENTS

All the values given are approximate values: dimensions in centimetres, material requirements in metres, leather requirements in square metres.

COVERING MATERIALS

You may find the information concerning the specific properties of the covering materials on the sample labels.



Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective.

SOUNDSYSTEM (SS)

Optional sound system with control via Bluetooth (SS).

Your suite gets an entertainment center with this sound system. The system is equipped with a Bluetooth audience and 2 corpus sound converter (exciter).

The plateau converts into a resonator for music playback via exciter.

Choice and volume of the music can be controlled by Smartphone, tablet or laptop wireless via Bluetooth.

Performance: Stereo

Power input: operation with 2 exciters: 30 W


Stand-by: less than 0,3 W

Output: amplifier power 20 W


Tuning range: ca. 10 m




The position marked in the pictogram with a star is emblematising the **position** of the **mediastation** on the respective plateau respectively on the table:





Functional element 2-seats
(EDIT 1-3 = C)
(EDIT 4 = C1/C2/C3)
(not possible with EDIT 5 - C4)



Functional element
(T - only with EDIT 1-3)



Functional element 2-seats left/right
(CL/CR - only with EDIT 1-3)



Functional stool
(HF - only with EDIT)




Table
(K - only with EDIT 1-3)


MEDIA STATION (MS)

Media station with integrated socket, USB loading station and Qi loading function (MS).




- **Socket:** VDE-standardized, 16 A, with protection against contact
- **USB loading station:** Loading function for commercial equipment with USB connection as e.g. Smartphone, MP3 player, Apple products and other mobile equipment.
- **Qi loading function:** Wireless loading of battery operated equipment as Smartphones, iPods, MP3 players etc. The wireless power transmission is effected by use of electromagnetic fields. A Qi transmitter (loading station) is transferring the needed energy to a Qi receptor (mobile phone). Each Qi compatible equipment can be operated by the Qi compatible loading station.


Handling: Place the mobile phone in the center of the symbol. The start of the loading process is confirmed by an acoustical signal.



Add-on corner w. ending left/right
(IL/IR - only with EDIT 1-3)



Add-on corner w. ending left/right
(I1/I2 - only with EDIT 1-3)



Daybed left/right
(PL/PR - only with EDIT 1-3)



Please also note our general details and sales information

Edition 28.08.2024


Errors and amendments excepted. Our General Terms and Conditions are effective.

LED-LIGHTING (LED)


Optional under-floor light via LED. It is setting a course of light and is bringing out the room atmosphere of the suite. The gentle, even light is effectively, energy-efficient and shadowless reflected from the floor. You can choose between 16 different colours or four different effects of light variations with additional dim function.

The LED-LIGHTING is an accessory that is fitted in our factory. Therefore the specified price is valid for a fitting at the factory.

The LED LIGHTING is controlled by an included infrared light remote control. Please note: For efficient functionality an intervisibility between the transmitter, so the infrared light remote control, and the receiver at the suite is necessary. The receiver is always fixed below a corner of the suite.



The quickness of the colour change programs FLASH, STROBE, FADE and SMOOTH can be accelerated respectively retarded by the following buttons:



working voltage: 12V DC (mains adapter)
outlets: RGB distributor,
control version: common anode
charging rate controller: < 1W
output current: max. 2A per channel
output power: < 72W (24W per channel)

Electric supply via normal 12V wall wart with a 2,1* 5,5 cm coax-connector.

Operating voltage
100-240 VAC

ACCESSORIES - APPLICATIONS

With the below mentioned elements the following accessories are available:

EDIT 1 - 3: C, T, CL/R and PL/R

EDIT 4: C1, C2 and C3

- Bluetooth function control **BLT** (incl. remote control at the seat)
- Soundsystem **SS**
- Mediastation **MS**
- LED-lighting with colour change **LED**

EDIT 5 - C4

- Bluetooth function control **BLT** (incl. remote control at the seat)
- Soundsystem **SS**
- LED-lighting with colour change **LED**

EDIT 1 - 3: IL/R, I1/2, HF and K

- Soundsystem **SS**
- Mediastation **MS**
- LED-lighting with colour change **LED**

With **functional armchair VM2** and **side table KA** the accessories are **not possible!**

Please note: Always only 1 cable is fitted per element (even with several accessory articles per element!)

ORDER CHECK LIST

Please pay attention to the following issues respectively to complete specification when ordering:

- **combination** (Attention: The add-on elements of EDIT 1-3 can't be combined with each other!)
- **covering material**
- **finish of plateau**
- **finish of table**, if desired
- **finish of rotary spray** with functional armchair VM2
- **Accessory articles** if desired (please pay attention to the restrictions)



Errors and amendments excepted. Our General Terms and Conditions are effective.

Plateau covered clear of ground Exception: Functional armchair on rotary spray VM2
Daybed PL/R: D max. 183, SD 105 cm.

I SINGLE ELEMENTS

I ADD-ON ELEMENTS



	Functional element 2 seats	Functional element	Functional armchair on rotary spray	Functional element 2 seats l/r	Add-on corner w. ending l/r	Add-on corner w. ending l/r	Daybed l/r	
H min.	80							
H max.	112							
D min.	115							
D max.	159							
SD min.	60							
SD max.	90							
SH	45							
W	240	120	92	210	240	240	110	240 x 302




FABRIC	Requirement	9,50	5,00	3,70	9,20	9,40	8,40	5,90
COM								
10								
13								
16								
20								
25								
30								
45								

LEATHER	Requirement	20,40	9,70	7,40	19,70	21,30	19,00	12,60
COM								
X								
A								
B								
C								
D								
E								
F								
G								
Extra charge for Bluetooth (BLT):								






Errors and amendments excepted. Our General Terms and Conditions are effective.

Plateau covered clear of ground

I STOOLS AND TABLES

Functional stool		Table		Side table	
					
H	45	H	18	H	35
D	120	D	90	D	100
120		120		35	

I DECORATIVE CUSHIONS / ACCESSORIES

Back cushion w. selvedge	Kidney-shaped cushion	Kidney-shaped cushion	Arm. cush. w. bracket covered	Neck cushion w. counter weight	
					
D	48	D	32	D	45
84	75	60	25	60	

W

Requirement	4,40	1,60	1,10	0,90	0,70	0,90	0,80
COM							
10							
13							
16							
20							
25							
30							
45							

FABRIC

Requirement	8,80	3,20	1,70	1,10	0,90	1,00	1,00
COM	8,333,-						
X							
A							
B							
C							
D							
E							
F							
G							

LEATHER

Errors and amendments excepted. Our General Terms and Conditions are effective.

I ACCESSORY ARTICLES

Media station Soundsystem LED w. colour change

MS <small>□</small>	SS	LED
D 11 W 10		

FABRIC	Requirement
	COM
	10
	13
	16
	20
	25
	30
	45

LEATHER	Requirement
	COM
	X
	A
	B
	C
	D
	E
	F
	G



Errors and amendments excepted. Our General Terms and Conditions are effective.

Plateau clear of ground Exception: Functional armchair on rotary spray VM2
Daybed PL/R: D max. 183, SD 105 cm.

I SINGLE ELEMENTS

I ADD-ON ELEMENTS



	Functional element 2 seats	Functional element	Functional armchair on rotary spray	Functional element 2 seats l/r	Add-on corner w. ending l/r	Add-on corner w. ending l/r	Daybed l/r	
H min.	80							
H max.	112							
D min.	115							
D max.	159							
SD min.	60							
SD max.	90							
SH	45							
W	240	120	92	210	240	240	110	240 x 302

Requirement	7,10	3,70	3,70	7,10	7,00	6,00	3,90
COM							
10							
13							
16							
20							
25							
30							
45							

Requirement	14,80	7,40	7,40	14,80	15,70	13,40	7,70
COM							
X							
A							
B							
C							
D							
E							
F							
G							
Extra charge for plateau beam oak (UV laminated with oil effect):							
Extra charge for Bluetooth (BLT):							

FABRIC




LEATHER








Errors and amendments excepted. Our General Terms and Conditions are effective.

Plateau clear of ground

I STOOLS AND TABLES

Functional stool	Table	Side table
 HF	 K	 KA
H 45 D 120	H 18 D 90	H 35 D 100
W 120	120	35

I DECORATIVE CUSHIONS / ACCESSORIES

Back cushion w. selvedge	Kidney-shaped cushion	Kidney-shaped cushion	Armr. cush. w. bracket covered	Neck cushion w. counter weight
 Y	 YC	 YE	 YA2	 YN
D 48	D 32	D 32	D 45	D 32
84	75	60	25	60

W

FABRIC	Requirement	2,80			1,10	0,90	0,70	0,90	0,80
	COM								
	10								
	13								
	16								
	20								
	25								
	30								
	45	8,520,-	3,182,-	1,848,-	653,-	653,-	614,-	1,051,-	950,-

LEATHER	Requirement	5,70			1,70	1,10	0,90	1,00	1,00
	COM	7,838,-							
	X								
	A								
	B								
	C								
	D								
	E								
	F								
	G								
Extra charge for plateau beam oak (UV laminated with oil effect):									

Errors and amendments excepted. Our General Terms and Conditions are effective.

I ACCESSORY ARTICLES

Media station Soundsystem LED w. colour
change

MS <small>□</small>	SS	LED
D 11 10		

W

Requirement	FABRIC
COM	
10	
13	
16	
20	
25	
30	
45	

Requirement	LEATHER
COM	
X	
A	
B	
C	
D	
E	
F	
G	



Errors and amendments excepted. Our General Terms and Conditions are effective.

Plateau near ground Exception: Functional armchair on rotary spray VM2
Daybed PL/R: D max. 183, SD 105 cm.

I SINGLE ELEMENTS

I ADD-ON ELEMENTS



Functional element
2 seats

Functional element

Functional armchair on rotary spray









Functional element
2 seats l/r

Add-on corner
w. ending l/r

Add-on corner
w. ending l/r

Daybed
l/r

H min. 80
H max. 112
D min. 115
D max. 159
SD min. 60
SD max. 90
SH 45



W

240

120

D min. 92

210

D 92
SD 70

240

D 90
SD 70

240

D 162

110

240 x 302

Requirement 7,10 3,70 3,70 7,10 7,00 6,00 3,90

COM

10

13

16

20

25

30

45

Requirement 14,80 7,40 7,40 14,80 15,70 13,40 7,70

COM

X

A

B

C

D

E

F




G

Extra charge for plateau beam oak (UV laminated with oil effect):






Errors and amendments excepted. Our General Terms and Conditions are effective.

Plateau near ground

I STOOLS AND TABLES

Functional stool	Table	Side table
 HF	 K	 KA
H 45 D 120 120	H 18 D 90 120	H 35 D 100 35

I DECORATIVE CUSHIONS / ACCESSORIES

Back cushion w. selvedge	Kidney-shaped cushion	Kidney-shaped cushion	Arm. cush. w. bracket covered	Neck cush. w. counter weight
 Y	 YC	 YE	 YA2	 YN
D 48 84	D 32 75	D 32 60	D 45 25	D 32 60

W

Requirement	2,80	1,10	0,90	0,70	0,90	0,80
COM						
10						
13						
16						
20						
25						
30						
45						

FABRIC

Requirement	5,70	1,70	1,10	0,90	1,00	1,00
COM						
X						
A						
B						
C						
D						
E						
F						
G						
Extra charge for plateau beam oak (UV laminated with oil effect):						

LEATHER

Errors and amendments excepted. Our General Terms and Conditions are effective.

I ACCESSORY ARTICLES

Media station Soundsystem LED w. colour change

MS E	SS	LED
D 11		
10		

W

FABRIC	Requirement
	COM
	10
	13
	16
	20
	25
	30
	45

LEATHER	Requirement
	COM
	X
	A
	B
	C
	D
	E
	F
	G



Errors and amendments excepted. Our General Terms and Conditions are effective.

Plateau clear of ground


I SINGLE ELEMENTS



H min. 80
H max. 112
D min. 115
D max. 159
SD min. 60
SD max. 90
SH 45


W

Element 2 seats
wooden frame/
inlay covered




240

Element 2 seats
covered frame/
inlay veneer



240


Element 2 seats
stone optics
graphite



240

I DECORATIVE CUSHIONS / ACCESSORIES

Back cushion
w. selvedge




D 48
84

Kidney-
shaped
cushion




D 32
75

Arm. cush.
w. bracket
covered



D 45
25

Neck cush.
w. counter
weight



D 32
60

Requirement	9,00	7,90	7,00	1,10	0,90	0,90	0,80
-------------	------	------	------	------	------	------	------

COM

10

13

16

20

25

30

45

FABRIC

Requirement	20,30	16,90	14,80	1,70	1,10	1,00	1,00
-------------	-------	-------	-------	------	------	------	------

COM

X

A

B

C

D

E

F

G

Extra charge for Bluetooth (BLT):

LEATHER

Errors and amendments excepted. Our General Terms and Conditions are effective.

I ACCESSORY ARTICLES

Media station Soundsystem LED w. colour
 per article change

MS <small>□</small>	SS	LED
D 11		

W

10

FABRIC	Requirement
	COM
	10
	13
	16
	20
	25
	30
	45

LEATHER	Requirement
	COM
	X
	A
	B
	C
	D
	E
	F
	G



Errors and amendments excepted. Our General Terms and Conditions are effective.


Plateau clear of ground

I SINGLE ELEMENT



Elem. 2 seats
plateau veneer
inlay bark


H min. 80
H max. 112
D min. 115
D max. 159
SD min. 60
SD max. 90
SH 45




W 240

I DECORATIVE CUSHIONS / ACCESSORIES


Back cushion
w. selvedge




Kidney-
shaped
cushion



Armr. cush.
w. bracket
covered



Neck cush.
w. counter
weight



I ACCESSORY ARTICLES

Soundssystem
per article



LED w. colour
change



Requirement	7,00	1,10	0,90	0,90	0,80
COM					
10					
13					
16					
20					
25					
30					
45					

FABRIC

Requirement	14,80	1,70	1,10	1,00	1,00
COM					
X					
A					
B					
C					
D					
E					
F					
G					
Extra charge for plateau beam oak (UV laminated with oil effect):					
Extra charge for Bluetooth (BLT):					

LEATHER