



**EDIT** PRODUCT INFORMATION

Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective. / WEEE-Reg.-No. DE 69718127

#### **DESIGN**

#### **CONSTRUCTIVE DESIGN**

All the materials used correspond to the requirements according to RAL-GZ 430/4.

Fully upholstered suite, metal base frame

Seat upholstery structure: rubber straps, polystyrene foam VW 40, Diolen

Back upholstery structure: rubber straps, polystyrene foam, Diolen

#### **UPHOLSTERY CASUAL / LOOSE**

With casual upholsteries you are rather sitting "in the sofa" than on it, the upholstery snuggles. A casual/loose upholstery is characterized by a smooth upholstery structure. The cover is not waveless. The ridge of the covers on the seat, back and the armrests as well as sitzmarks due to model and design are typical.

Slight differences in seat firmness with add-on groups are according to construction and therefore constitute no reason for complaint.

#### **BACK TENSIONING SECTIONS**

All back tensioning sections are supplied as standard with the original cover.

#### STANDARD FUNCTIONS

#### **FUNCTIONAL BACK**

With each element the back can be infinitely raised (manual). Thereby the seat depth is enlarged up to 12 cm. The sofa becomes a high back.



**FREE MOTION** models allow latitude referring to functional control: Seat adjustment as well as adjustment of leg part and sideward movement are controlled as standard via sidewise fixed **sensors on the cover** (motor-driven adjustment).

INSIDE at the seat for sideward movement to the left and right




**OUTSIDE** at the seat for seat adjustment (seat. back and leg part)



#### **ELEMENTS WITH EDIT 1, EDIT 2, EDIT 3**

## FUNCTIONAL ELEMENT C with slidable and turnable seat as well as seat adjustment



In addition both seats are manually turnable up to 320° to the left and to the right.

## FUNCTIONAL ELEMENT T with slidable and turnable seat as well as seat adjustment

The leg part and the back can be infinitely adjusted separate of each other via motor. The handling is carried out by the sidewise (outside of the seat) fitted 4 buttons. In addition to the seat adjustment the seat can be moved to

the left respectively to the right via 2 further buttons at the inside of the seat. The thereby enlarged space left respectively right of approx. 28 cm can be used as shelf.

in addition both seats are manually turnable up to 320° to the left and to the right.



Ω



# PRODUCT INFORMATION

Please also note our general details and sales information

Edition 28.08.2024

#### **ELEMENTS WITH EDIT 4 AND EDIT 5**

#### FUNCTIONAL ELEMENTS with movable and turnable seats as well as seat adjustment

The leg part and the back can be infinitely adjusted separately of each other via motor. The handling is carried out by the sidewise (outside at the seat) fitted 4 buttons.

In addition to the seat adjustment both seats can be moved independently of each other to the left respectively to the right by 2 further buttons at the inside of the seat. The space of respectively approx. 28 cm arisen out of it can be used as shelf.

In addition the seats are manually turnable up to 320° to the left and to the right.

## **FUNCTION BLUETOOTH OPTIONAL**

Alternative to the adjustment via TOUCH-IT sensors it's possible to control the electrical functions (seat, back, leg part and sideward movement) via Bluetooth - BLT.

The individual functions are adjusted using the included remote control. The control is fixed via an incorporated magnet sidewise in the seat.

#### **FUNCTIONAL ARMCHAIR**

#### FUNCTIONAL ARMCHAIR VM2 with rotatable seats as well as seat adjustment

Leg part and back can be infinitely adjusted independently of each other via motor. The handling is effected by sidewise (at the outside of the seat) fixed buttons (4 pieces).



EDIT 4

C1 / C2 / C3

EDIT 5

C4

The back can be raised infinitely (manual). Thereby the seat depth is enlarged up to 12 cm. The sofa becomes a high back.

The motor can be actuated optionally by mains current or with a rechargeable battery.

In addition, a control unit consisting of two sensor buttons is installed on the outside of the seat. These are necessary in order to be able to adjust the seat units even if the remote control is dropped, lost or defective.



If the front button is pressed and held, the seat unit returns into the starting position (back raised and leg part retracted). If the rear sensor button is constantly pressed, the leg part and back can be moved together into a reclined position.

The extra charge for Bluetooth - BLT is assigned to the corresponding item on the respective price sheet.

#### Extra charge for battery:

902,-

#### Please charge the battery completely before first use.

The tethered functional armchair (with mains current) has a turn limiter. This avoids that the electric cable wraps around the frame. Rotatability of this version is 320°. With rechargeable battery actuated version the functional armchair is rotatable by maximum 360°.

Metal rotary spray (5-arm) optionally available in:

- aluminium mat (satined)
- powder-coated structural black mat

#### POSSIBLE COMBINATIONS

Please note: The add-on elements of EDIT 1, EDIT 2 and EDIT 3 can't be combined with each other!

#### **SAFETY INSTRUCTIONS**

#### Assistance system to reduce crushing hazard and risk of injury

For safety reasons the sofa is equipped with an assistance system to reduce the crushing hazard and risk of injury. This assistance system is avoiding the driving on of the power units in case of blockade of the functional parts. The power units are stopping in case of blockade and move in the opposite direction approx. 2 seconds.

When this deactivation is arising make sure that there are no persons respectively objects in the radius of movement before further handling.

## EDIT PLATEAUS

PRODUCT INFORMATION



Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

#### **PLATEAU SURFACES**

Below you may find a general list of the individual plateau surfaces.

Please refer to pages 3 and 4 for exact assignment per element.

#### WOOD VENEER

Only the high-quality trunks and therefore the smallest part of the total felling can be used for the furniture construction. That applies to the use of the trunk for veneer production, too. The choice of wood is done selectively according to the requests typical for furniture.

In contrast to solid wood veneered surfaces are less sensitive to variabilities of temperature and dampness.

Veneered surfaces are protected. This makes the care especially easy and exerts the beauty of the material.

#### **SOLID WOOD**

Wood is an agile material and reacts to the room climate, i.e. it absorbs dampness of the air and dispenses it again. As a basic principle wood has the characteristic to act naturally (to expand/decrease). The technical processing shows natural characteristics; dimensional tolerances are possible. These characteristics constitute no grounds of complaint.

Beam oak UV laminated with oil effect: Beam oak is no special kind of oak, but the name should make clear that it is a matter of specific sort of oak. Solely oak trunks that have grown in special areas and possesses as much as possible branches will be used. Different congeries of branches and knotholes in different sizes are typical characteristics. Reworked respectively ground wind shocks and nicks as well as cross cracks in branches, grain wood cracks or growth cracks render a wide colour spectrum and are typical for beam oak.

The plateaus are optionally available in:

- walnut (UV laminated with oil effect)
- beam oak (UV laminated with oil effect)
  - against extra charge see price sheet



Plateau in STONE OPTICS GRAPHITE



#### PLATEAU AND LEGS WITH EDIT 1

**EDIT 1 - Plateau clear of ground covered** with metal legs powder-coated black mat

Plateau can be chosen independently of the seats in all covering materials of the current Collection.



With combination of two covering materials of a different price (seats and plateau) the higher price category will be invoiced as standard.


Fabric- and leather requirement of the plateaus on request.

#### **PLATEAU AND LEGS WITH EDIT 2**

#### EDIT 2 - Plateau clear of ground

with metal runner powder-coated black mat.

Plateau optionally available in:





- walnut
- beam oak against extra charge see price list

#### **PLATEAU AND LEGS WITH EDIT 3**

#### EDIT 3 - Plateau near ground

with metal legs powder-coated black mat.

Plateau optionally available in:

## WOOD VENEER (UV laminated with oil effect)

- walnut
- beam oak against extra charge see price list





## **EDIT PLATEAUS**

PRODUCT INFORMATION

Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective


#### **PLATEAU AND LEGS WITH EDIT 4**


#### EDIT 4 - plateau clear of ground

## Element C1 - solid wooden frame with inlay covered with metal runners powder-coated black mat

Frame (UV laminated with oil effect) optionally available in:

- walnut solid
- beam oak solid





The frame can be chosen independently of the seats in all covering materials of the current collection.

Inlay in wood veneer (UV laminated with oil effect) is optionally available in:

- walnut
- beam oak

**Please note:** The element C2 with covered frame can't be produced with covered inlay!

**Element C3 - plateau stone optics graphite** with metal runners powder-coated black mat



#### PLATEAU AND LEGS WITH EDIT 5

#### EDIT 5 - plateau clear of ground

## **Element C4 - wood veneer with bark inlay** with metal runner powder-coated black mat

Plateau optionally available in:

WOOD VENEER (UV laminated with oil effect)

- walnut
- beam oak against extra charge see price list

The application made out of oak bark is worked in the middle of the plateau and covered by a glass plate (bronzed, toned).

The glass plate is tempered safety glass.

In addition an indirect lighting is integrated. It can be powered on via TOUCH-IT switch (mains current) if desired.

The TOUCH-IT switch is placed centrally ahead of the glass plate on the plateau.

#### PLATEAU HEIGHT AND CLEARANCE HEIGHT

#### EDIT 1 and EDIT 5

The total height of the plateau (incl. leg) is approx.  $18\ cm$  and the clearance height is approx.  $10\ cm$ .

#### EDIT 2 and EDIT 4

The total height of the plateau (incl. leg) is approx.  $18\ \text{cm}$  and the clearance height is approx.  $12\ \text{cm}$ .

#### EDIT 3

The total height of the plateau (incl. leg) is approx. 18 cm and the clearance height is approx. 4 cm.



EDIT PRODUCT INFORMATION

Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

#### **ARMREST CUSHION (YA2)**

With all elements armrest cushion **YA2** insertable by brackets.

The bracket is upholstered and covered in the respectively desired covering material.



#### **NECK CUSHION (YN)**

#### Counter weight

without magnet, cushion fixation via an affixed counter weight.



#### **CUSHION RECOMMENDATION FOR ADD-ON CORNER 11/2**

With the add-on corner I1/2 we recommend to use in addition the back cushion Y (84 x 48 cm) for an optimal and improved seat comfort.

#### LOAD CAPACITY

Please note: Each seat can be weighted with maximum 130 kg body weight. Therefore only one person should sit on a seat.



The weight carrying capacity of functional parts is limited and not designed for load with the body weight (max. 30 kg). The moved out leg part as well as the adjustable functional back must not be used as seat.

#### INDICATIONS OF DIMENSIONS AND REQUIREMENTS

All the values given are approximate values: dimensions in centimetres, material requirements in metres, leather requirements in square metres.

### SEAM

Depending on the model, the seam on leather covers may be different from fabric covers, especially on fitted items. Decorative leather seam (as felled seams or double seams) may be omitted depending on the model according to suitability of the fabric covering material.

The model is only worked with selvedge seam.

#### **COVERING MATERIALS**

You may find the information concerning the specific properties of the covering materials on the sample labels.



# EDIT PRODUCT INFORMATION

Please also note our general details and sales information

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effe

#### SOUNDSYSTEM (SS)

Optional sound system with control via Bluetooth (SS).

Your suite gets an entertainment center with this sound system. The system is equipped with a Bluetooth audience and 2 corpus sound converter (exciter).

The plateau converts into a resonator for music playback via exciters.

Choice and volume of the music can be controlled by Smartphone , tablet or laptop wireless via Bluetooth.


Performance: Stereo

Power input: operation with 2 exciters: 30 W

Stand-by: less than 0,3 W Output: amplifier power 20 W Tuning range: ca. 10 m




The position marked in the pictogram with a star is emblematising the **position** of the **mediastation** on the respective plateau respectively on the table:




Functional element 2-seats (EDIT 1-3 = C) (EDIT 4 = C1/C2/C3) (not possible with EDIT 5 - C4)



Functional element (T - only with EDIT 1-3)





Functional element 2-seats left/right (CL/CR - only with EDIT 1-3)

### MEDIA STATION (MS)

Media station with integrated socket, USB loading station and Qi loading function (MS).

- Socket: VDE-standardized, 16 A, with protection against contact
- USB loading station: Loading function for commercial equipment with USB connection as e.g. Smartphone, MP3 player, Apple products and other mobile equipment.
- QI loading function: Wireless loading of battery operated equipment as Smartphones, iPods, MP3 players etc.
   The wireless power transmission is effected by use of electromagnetic fields. A Qi transmitter (loading station) is transfering the needed energy to a Qi receptor (mobile phone). Each Qi compatible equipment can be operated by the Qi compatible loading station.

Handling: Place the mobile phone in the center of the symbol. The start of the loading process is confirmed by an acoustical signal.





Please also note our general details and sales information

Edition 28.08.2024


Errors and amendments excepted. Our General Terms and Conditions are effective.

#### **LED-LIGHTING (LED)**

Optional under-floor light via LED. It is setting a course of light and is bringing out the room atmosphere of the suite. The gentle, even light is effectively, energy-efficient and shadowless reflected from the floor. You can choose between 16 different colours or four different effects of light variations with additional dim function.

The LED-LIGHTING is an accessory that is fitted in our factory. Therefore the specified price is valid for a fitting at the factory.

The LED LIGHTING is controlled by an included infrared light remote control. Please note: For efficient functionality an intervisibility between the transmitter, so the infrared light remote control, and the receiver at the suite is necessary. The receiver is always fixed below a corner of the suite.



The quickness of the colour change programs FLASH, STROBE, FADE and SMOOTH can be accelerated respectively retarded by the following buttons:





working voltage: 12V DC (mains adapter)

outlets: RGB distributor, control version: common anode charging rate controller: < 1W output current: max. 2A per chanel output power: < 72W (24W per chanel)

**Electric supply** via normal 12V wall wart with a  $2,1^*$  5,5 cm coaxconnector.

Operating voltage 100-240 VAC

#### **ACCESSORIES - APPLICATIONS**

With the below mentioned elements the following accessories are available:

#### EDIT 1 - 3: C, T, CL/R and PL/R EDIT 4: C1, C2 and C3

- Bluetooth function control **BLT** (incl. remote control at the seat)
- Soundsystem SS
- Mediastation MS
- LED-lighting with colour change LED

#### **EDIT 5 - C4**

- Bluetooth function control BLT (incl. remote control at the seat)
- Soundsystem SS
- LED-lighting with colour change LED

#### EDIT 1 - 3: IL/R, I1/2, HF and K

- Soundsystem SS
- Mediastation MS
- LED-lighting with colour change LED

Please note: Always only 1 cable is fitted per element (even with several accessory articles per element)!

#### ORDER CHECK LIST

Please pay attention to the following issues respectively to complete specification when ordering:

- combination (Attention: The add-on elements of EDIT 1-3 can't be combined with each other!)
- covering material
- finish of plateau
- finish of table, if desired
- finish of rotary spray with functional armchair VM2
- Accessory articles if desired (please pay attention to the restrictions)



RETAIL 11.2024 PRICING

Edition 28.08.2024

 $\textbf{Plateau covered clear of ground} \ \, \textbf{Exception:} \ \, \textbf{Functional armchair on rotary spray VM2}$ Daybed PL/R: D max. 183, SD 105 cm.

#### I SINGLE ELEMENTS

	Functional element 2 seats	Functional element	Functional armchair on rotary spray
H min. 80 H max. 112 D min. 115 D max. 159 SD min. 60 SD max. 90 SH 45	C Ω Ω	Υ Ω	<b>VM2</b>
W	240	120	92

Requirement	9,50	5,00	3,70			
СОМ						
10						
13						
16						
20						
25						
30						
45						

LEATHER	Requirement	20,40	9,70	7,40			
폰							
[ ]	СОМ						
=							
	Х						
	Α						
	В						
	С						
	D						
	Е						
	F						
	G						
	Ex	tra charge for B	luetooth (BL	Γ):			
		-					



RETAIL 11.2024 PRICING Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective.

#### Plateau covered clear of ground

#### I DECORATIVE CUSHIONS / ACCESSORIES

Back cushion w. selvedge		Kidney- shaped cushion	Kidney- shaped cushion	Armr. cush. w. bracket covered	Neck cushion w. counter weight
	Y	YC	YE	<b>YA2</b>	YN ±
	D 48	D 32	D 32	D 45	D 32

v	W	
v	v	
•	•	

Requirement		1	1,10	0,90	0,70	0,90	0,80	
СОМ								7
10								
13								
16								
20								
25								
30								
45								

Requirement		1,70	1,10	0,90	1,00	1,00	
СОМ							
							ı
X							
A							
В							
С							
D							
E							
F							
G							



RETAIL

11.2024 PRICING

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

#### I ACCESSORY ARTICLES

## Media station Soundsystem LED w. colour change

	IS	SS	LED
D	11		
1	0		

W

FABRIC	Requirement	
<u></u>		
\$	СОМ	
	10	
	13	
	16	
	20	
	25	
	30	
	45	

딤	Requirement	
EAINER		
5 .	СОМ	
	X	
	A	
	В	
	С	
	D	
	E	
	F	
	G	






RETAIL 11.2024 PRICING Edition 28.08.2024

Plateau clear of ground Exception: Functional armchair on rotary spray VM2 Daybed PL/R: D max. 183, SD 105 cm.

#### **I SINGLE ELEMENTS**



••	240	120	32	
Requirement	7,10	3,70	3,70	FABRIC
				器
СОМ				<u>ਨ</u>
10				
13				
16				
20				
25				
30				
45				

Requireme	<b>nt</b> 14,80	7,40	7,40			
CO	М					
						7
	X					
	Α					
	В					
	С					
	D					
	E					
	F					
	G					
	Extra charge for	or plateau beam o	ak (UV laminated with oil e	ffect):		
	Extra charge for	or Bluetooth (BLT)	):			



RETAIL

11.2024 PRICING

Edition 28.08.2024

Armr. cush. Neck cushion

w. counter

weight

w. bracket

covered

Errors and amendments excepted. Our General Terms and Conditions are effective

Plateau clear of ground

#### I DECORATIVE CUSHIONS / ACCESSORIES

Kidney-

shaped cushion

Kidney-

shaped cushion

**Back cushion** 

w. selvedge


	Y	YC	YE	YA2	YN —
w	D 48	D 32	D 32	D 45	D 32
Requirement	1,10	0,90	0,70	0,90	0,80
СОМ					
10 13					
16 20					
25 30					
45					
Requirement	1,70	1,10	0,90	1,00	1,00
СОМ					
X A B					
C					
E F					
G					



RETAIL 11.2024 PRICING Edition 28.08.2024

#### I ACCESSORY ARTICLES

Media station Soundsystem LED w. colour change



Requirement	¥
	FABRIC
СОМ	e e
10	
13	
16	
20	
25	
30	
45	

	_
Requirement	
СОМ	
Х	
Α	
В	
С	
D	
E	
F	
G	



RETAIL

11.2024 PRICING

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

**Plateau near ground** Exception: Functional armchair on rotary spray VM2 Daybed PL/R: D max. 183, SD 105 cm.

#### I SINGLE ELEMENTS

	Functional element 2 seats	Functional element	Functional armchair on rotary spray
H min. 80 H max. 112 D min. 115 D max. 159 SD min. 60 SD max. 90 SH 45	C Ω Ω	Ϋ́Ω	<b>VM2</b> O  D min. 92
W	240	120	92

Requirement	7,10	3,70	3,70
СОМ			
10			
13			
16			
20			
25			
30			
45			

LEATHER	Requirement	14,80	7,40	7,40
픕				
Ϋ́	СОМ			
-1				
	Х			
	Α			
	В			
	С			
	D			
	E			
	F			
	G			
	Ex	tra charge for pla	iteau beam oal	k (UV laminated with oil effect):
	Ex	tra charge for Bl	uetooth (BLT):	

RETAIL 11.2024 PRICING Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

#### Plateau near ground

#### I DECORATIVE CUSHIONS / ACCESSORIES

Back cush w. selved		Kidney- shaped cushion	Kidr sha cush	ped	Armr. c w. brac cover	cket	W. (	ck cush. counter reight	
Y		YC	Y)	E	YA2	2		YN —	
D 84	48 [	D 32 75	D 6	32	D 25	45	D	32 60	)

		٠	•	
ı	п	V	,	
ч	и	ı		

Requirement			1,10	0,90	0,70	0,90	0,80	FABRIC
								뜻
СОМ								<u></u>
10								
13								
16								
20								
25								
30								
45								

Requirement			1,70	1,10	0,90	1,00	1,00	LEATHER
								፭
СОМ								一声
								ᄁ
X								
A								
В								
С								
D								
E								
F								
G								



RETAIL

11.2024 PRICING

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

#### I ACCESSORY ARTICLES

Media station Soundsystem LED w. colour change


MS m	SS	LED
D 11		

W


<u>ဗ</u>	Requirement	
PABRIC		
\$	COM	
	10	
	13	
	16	
	20	
	25	
	30	
	45	

EATHEI

Requirement	t e e e e e e e e e e e e e e e e e e e
СОМ	1
4	
Х	
A	
В	
C	
D	
E	
F	
G	



#### Plateau clear of ground



Requirement	20,30	16,90	14,80		1,70	1,10	1,00	1,00
СОМ								
Х								
Α								
В								
С								
D								
E								
F								
G								
Ext	ra charge fo	r Bluetooth (BL	.T):					



RETAIL

11.2024 PRICING

Edition 28.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

#### I ACCESSORY ARTICLES

Media station Soundsystem LED w. colour per article change

	MS m	SS	LED
D	11		
	10		

W

<u>;</u>	Requirement	
1	СОМ	
	10	
	13	
	16	
	20	
	25	
	30	
	45	

EATHE

Requirement	
СОМ	
Х	
Α	
В	
С	
D	
E	
F	
G	

11.2024 PRICING

Edition 28.08.2024

Plateau clear of ground

D E F G

Extra charge for plateau beam oak (UV laminated with oil effect):

Extra charge for Bluetooth (BLT):

