





# ICON PRODUCT INFORMATION

Please also note our general details and sales information

Edition 20.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective. / WEEE-Reg.-No. DE 69718127

#### **DESIGN**

#### **CONSTRUCTIVE DESIGN**

All the materials used correspond to the requirements according to RAL-GZ 430/4.

Fully upholstered armchair, metal frame

Seat upholstery structure: rubber straps, polystyrene foam VW 35, Diolen

Back upholstery structure: Dacron, polystyrene foam, Diolen

## **UPHOLSTERY CASUAL / LOOSE**

With casual upholsteries you are rather sitting "in the sofa" than on it, the upholstery snuggles. A casual/loose upholstery is characterized by a smooth upholstery structure. The cover is not waveless. The ridge of the covers on the seat, back and armrests as well as sitzmarks due to the model and design are typical.

#### **BACK TENSIONING SECTIONS**

All back tensioning sections are supplied as standard with the original cover.

## LEGS

Metal rotary spray optionally available in:

- nickel satined (stainless steel optics)
- powder-coated structural black mat

# SEAM

Depending on the model, the seam on leather covers may be different from fabric covers, especially on fitted items. Decorative leather seam (as felled seams or double seams) may be omitted depending on the model according to suitability of the fabric covering material.

#### COMBINATION OF COVERING MATERIALS

If desired with this model two different covering materials can be combined.

Here must be indicated the respectively desired covering material with cover part 1 and cover part 2.

With combination of two covering materials different in prices the higher price category will be invoiced as standard.

Fabric- and leather requirement of each cover part on request.

cover part 1: back in front and surround

cover part 2: seat and corpus



## COVERING MATERIALS

You may find the information concerning the specific properties of the covering materials on the sample labels.

## INDICATIONS OF DIMENSIONS AND REQUIREMENTS

All the values given are approximate values: dimensions in centimetres, material requirements in metres, leather requirements in square metres.



Please also note our general details and sales information

Edition 20.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

#### **CONTRAST STITCHING**

The production is carried out either **with contrast stitching** or with a **thread (tone on tone)** matching the leather in terms of colour.

## **CONTRAST STITCHING**

With leather covers, with fabric-leather-combinations and with fabric 13 BISON a contrast thread colour must be explicitly chosen.

With bicoloured covers the thread colour will be worked on the front and on the rear side.

Unfortunately with fabric and microfiber covers without leather part a processing with contrast stitching is not possible (Exception 13-BISON).

## THREAD TONE ON TONE

The model is worked with a thread matching the cover in terms of colour (tone on tone).

With bicoloured covers and with fabric-leather-combinations the matching thread will be automatically worked on the front and on the rear side.




## **ORDER CHECK LIST**

Please pay attention to the following issues respectively to complete indications when ordering:

- article
- covering material, with combination of covering materials covering material per cover part
- with leather covers and fabric-leather combinations production with or without contrast stitching
- with production with contrast stitching colour of contrast thread
- finish of metal rotary spray





Requirement	2,80	FABRIC
		器
СОМ		ਨ
10		
13		
16		
20		
25		
30		
45		

Requirement	4,60
СОМ	
X	
Α	
В	
С	
D	
E	
F	
G	
Ву	combining two price different covers the more expensive price category will be invoiced as standard:
e.g	g. Fabric 13, fabric 20 -> price fabric 20
	Fabric 16, leather B -> price leather B