



Please also note our general details and sales information

Edition 28.01.2019

Errors and amendments excepted. Our General Terms and Conditions are effective

COMFORT	SEAT ADJUSTMENT				HEAD PIECE ADJUSTMENT		COMFORT FUNCTIONS			
standard equipment extra equipment extra equipment motor-driven adjustment only with mains operation	manual: back and leg part separate	motor-driven: back and leg part separate	motor-driven: back and leg part together	with rechargeable battery without mains cable	manual	motor-driven	LIFT-up stand up assistance	massage	seat heating	following on armrest
	•				•					
V2 in S M L					•					
V4 in S M L VS4 VM4 VL4		•			•		•			

DESIGN

CONSTRUCTIVE DESIGN

All the materials used correspond to the requirements according to RAL-GZ 430/4.

Functional armrchair, metal base frame

Seat upholstery structure: zig-zag springs, Dacron, cold foam VW 35, Diolen




Back upholstery structure with bay quilting: zig-zag springs, Dacron, polystyrene foam, 90% foam sticks, 10% silic.

UPHOLSTERY CASUAL / LOOSE

With casual upholsteries you are rather sitting "in the sofa" than on it, the upholstery snuggles. A casual/ loose upholstery is characterized by a smooth upholstery structure. The cover is not waveless. With this high quality upholstery with bay quilting as applied a flexible mixture out of loose filling material as foam sticks and/or plumes enables a point adaptation to the body. For this the fillings are worked in bays which come more or less apparent depending on the cover. Sitzmarks are due to model and design typical.

ERGONOMICS

In each version the armchair is available in the 3 sizes S, M, L. All relevant comfort sizes (seat height, seat depth, length of the leg flap, back height) are expanding in due proportion, adapted to all body measurements.



BACK TENSIONING SECTIONS

All back tensioning sections are supplied as standard with the original cover.

INDICATIONS OF DIMENSIONS AND REQUIREMENTS

All the values given are approximate values: dimensions in centimetres, material requirements in metres, leather requirements in square metres.

Constructive structure and elected materials ensure that the standards of the quality assessments and test instructions of RAL-GZ 430 are not only achieved but exceeded. Our products are designed for a max. static loading of 125 kg per seat.





Please also note our general details and sales information

Edition 28.01.2019

FUNCTIONS

I FUNCTIONAL HEAD PIECE

The head piece can be adjusted by a mechanism from each position forward (catching) and by light back-pressure backward.

II RELAX FUNCTION

Integrated seat adjustment: Back and leg part can be adjusted separate of each other for a comfortable relax position into a lying position.

MANUAL RELAX FUNCTION VS, VM, VL

By displacement of the body weight backwards the leg part is moved out and the back lightly inclined backwards (seat is lightly dropped). In addition the back can be adjusted infinitely backwards to the point of the lying position via gas pressure spring and release lever.



MOTOR-DRIVEN RELAX FUNCTION VS2, VM2, VL2

By operation of the sidewise fixed control panel (standing in front on the left) the back and the leg part can be adjusted infinitely separate of each other into a lying position.



The motor-driven relax function is actuated by mains current. It can also be delivered **with rechargeable battery** against extra charge.

MOTOR-DRIVEN RELAX FUNCTION WITH LIFT-UP FUNCTION

VS4, VM4, VL4

In addition to the motor-driven adjustment with this version a useful stand up assistance (LIFT-up function) is integrated. Instead of the control panel a cable hand



switch is delivered with which all functions can be operated. The armchair is not rotatable in the moved out LIFT-up position. Only by mains current (**rechargeable battery** is **not** possible).

Please note: Do not sit on the raised leg part. The joint is not designed for use with the entire weight of the body.



III COMFORT PACKAGE MASSAGE

With all motor-driven armchair versions (V2, V4) the comfort package massage is optionally available against extra charge (see price list).

It can be chosen between an undulating massage program and a lordosis support via separate control panel (standing in front on the right). During the massage process the lordosis function can not be activated.



The massage process takes 10 minutes. The following reset time is ending after approx. 5 minutes. Then the program can be switched on again.

Only for armchairs with mains current (**rechargeable battery** is **not** possible).

LEGS

 No. 1. Metal rotary plate stainless steel, lightly curved



 No. 2. Metal rotary plate stainless steel with upholstered core (partially covered), lightly curved against extra charge see price list



 No. 3. Wooden rotary plate beech natural and in stain colours walnut, wenge and black, lightly curved



 No. 4. Stellate leg metal nickel satined (stainless steel optics)



 No. 5. Stellate leg optional aluminium shiny (polished), metal powder-coated high-gloss black or metal powder-coated high-gloss cream white



All tethered relax versions (with mains current) are possessing a turn limiter. These avoid that the electric cable wraps around the frame. Rotatability of these armchairs is approx. 320°. Manual adjustable and with rechargeable battery actuated relax versions are rotatable by maximum 360°.



Please also note our general details and sales information

Edition 28.01.2019

Errors and amendments excepted. Our General Terms and Conditions ar

NECK CUSHION

Neck cushion with counter weight optional available in 2 sizes / shapes:

YN 42 x 32 cm



- YN1 43 x 25 cm



CONTRAST STITCHING

With leather covers the colour of thread must be chosen as well for the standard seam processing as for the chain stitch.

With fabric and microfiber covers the colour of the thread must only be chosen at the time when the chain stitch is desired.

The processing is carried either **with contrast stitching** or with a **thread** matching the leather in terms of colour **(tone on tone)**.

With processing with contrast stitching the **desired colour of the contrast thread** must be explicitly chosen.



SEAM

Depending on the model the seam on fabric covers may be different from leather covers, for example due to a different divide of the tensioning sections. Decorative leather seams (e.g. fell or double seams) may be omitted depending on the model or according to suitability of the fabric covering materials.

The seam construction diagram and the thread size are defined due to the model. Alternative to the standard seam processing a decorative stitch (chain stitch) can be chosen.



COVERING MATERIALS

This armchair is available in leather and fabric.

You may find the information concerning the specific properties of the covering materials on the sample labels.







Please also note our general details and sales information


Edition 28.01.2019

Errors and amendments excepted. Our General Terms and Conditions are effective

SECTIONAL DIMENSIONS

Height

S min. 82 / max. 108 M min. 90 / max. 116 L min. 98 / max. 124



Depth

S min. 83 / max. 162 M min. 85 / max. 171 L min. 87 / max. 180

ORDER CHECK LIST

Please pay attention to the following issues respectively to complete specifications when ordering:

- _ article / extra charges
- covering material
- seam: standard seam (according to the material fell seam or closed seam) or chain stitch
- with leather respectively fabric covers production with or without contrast stitching (with fabric covers the fell seam is not possible with contrast thread)
- with finish with contrast stitching colour of contrast thread
- leg version; with wooden rotary plate also stain colour, with stellate leg (no. 5) also finish



SEAN

Model Details

MOTORIZED OPTIONS NOT AVAILABLE IN U.S.A.

Edition 28.01.2019

ACCESSORIES

Errors and amendments excepted. Our General Terms and Conditions are effective

ARMCHAIR

SILENCIO COMFORT Leg part and back adjustable for a comfortable relax position. Adjustment optional manual, motor-driven or motor-driven with LIFT-up stand up assistance. With all motor-driven versions also massage / lordosis suport possible.

EXTRA CHARGES

	ARMCHAII	R		EXTRA CH	ACCESSORIES					
	Armchair small S	Armchair medium M	Armchair Iarge L	for motor- driven adjustment	f. motor-dri- ven adjustm. w. LIFT-up	for comfort package massage	Extra charge chain stitch	Neck cushion w. counter weight	Neck cushion w. counter weight	
vs_		VM	VL_	<u>2</u>	4_		The same	YN -	YN1	
w	72	72	72	S > VS2 M > VM2 L > VL2	S > VS4 M > VM4 L > VL4			D 32	D 25	
	72	72	72					72		
Requirement	3,40	3,50	3,60					0,70	0,50	
СОМ										
10										
13										
16 20										
20 25										
30										
45										
Requirement	6,40	6,70	6,90					0,90	0,70	
СОМ										
Х										
A										
B C										
D										
E F										
G										
Ex	ktra charge f	or battery:								
Ex	ktra charge f	or rotary plat	e with uphol	stered core:						
	_	•	·							
									5 of 5	