

YOKO NO.3 PRODUCT INFORMATION

Please also note our general details and sales information

Edition 03.11.2022

Errors and amendments excepted. Our General Terms and Conditions are effective. / WEEE-Reg.-No. DE 69718127

DESIGN

CONSTRUCTIVE DESIGN

All the materials used correspond to the requirements according to RAL-GZ 430/4.

Functional armchair, metal base frame

Seat upholstery structure: rubber straps, Dacron, polystyrene foam VW 40, Diolen

Back upholstery structure: rubber straps, polystyrene foam, Diolen

UPHOLSTERY CASUAL / LOOSE

With casual upholsteries you are rather sitting "in the sofa" than on it, the upholstery snuggles. A casual/loose upholstery is characterized by a smooth upholstery structure. The cover is not waveless. The ridge of the covers on the seat, back and armrests as well as sitzmarks due to the model and design are typical.

BACK TENSIONING SECTIONS

All back tensioning sections are supplied as standard with the original cover.

SEAM

Depending on the model, the seam on leather covers may be different from fabric covers, especially on fitted items. Decorative leather seam (as double lapped felling or double seams) may be omitted depending on the model according to suitability of the fabric covering material.

COVERING MATERIALS

You may find the information concerning the specific properties of the covering materials on the sample labels.

INDICATIONS OF DIMENSIONS AND REQUIREMENTS

All the values given are approximate values: dimensions in centimetres, material requirements in metres, leather requirements in square metres.

FUNCTIONS

I HEAD PIECE ADJUSTMENT

The head piece can be manually adjusted by a ratchet mechanism that allows different positions. By pulling beyond the highest position the head piece can be returned to the basic position.

II FOLLOWING ON ARMREST

Ergonomic, following on armrests that adapt automatically optimal to the respective seat- or lying position.

III MOTOR-DRIVEN RELAX FUNCTION

By actuation the sidewise fitted Touch sensors the back and the leg part can be infinitely adjusted into a lying position.

The motor-driven relax function is actuated by mains current. It can also be delivered **with rechargeable battery** against extra charge.

Please note: Don't sit on the raised leg part. The joint is not designed for use with the entire weight of the body.

LEGS

5-arm-metal rotary spray incl. aluminium bracket optionally available in:

- nickel satined (stainless steel optics bracket aluminium mat)
- powder-coated structural black mat
- powder-coated structural brown/bronzed

from the left to the right:







metal rotary plate incl. aluminium bracket optionally available in:

- nickel satined (stainless steel optics bracket aluminium mat)
- powder-coated structural black mat
- powder-coated structural brown/bronzed

from the left to the right:









YOKO NO.3 PRODUCT INFORMATION

Please also note our general details and sales information

Edition 03.11.2022

Frrors and amendments excepted. Our General Terms and Conditions are effective

COMBINATION OF COVERING MATERIALS

If desired two different covering materials can be combined with this model.

Here must be indicated the respectively desired covering material with cover part 1 and cover part 2.

By combining two covering materials different in prices the higher price category will invoiced as standard.

Fabric- and leather requirement of each cover part on request.

covering part 1: seat, back and head piece

covering part 2: frame including the armrest and foot rest



CONTRAST STITCHING

The production is carried out either **with contrast stitching** or with a **thread (tone on tone)** matching the leather in terms of colour.

CONTRAST STITCHING

With leather covers, with fabric-leather-combinations and with fabric 13 BISON a contrast thread colour must be explicitly chosen.

With bicoloured covers the thread colour will be worked on the front and on the rear side.

Unfortunately with fabric and microfiber covers without leather part a processing with contrast stitching is not possible (Exception 13-BISON).

THREAD TONE ON TONE

The model is worked with a thread matching the cover in terms of colour (tone on tone).

With bicoloured covers and with fabric-leather-combinations the matching thread will be automatically worked on the front and on the rear side.



ORDER CHECK LIST

Please pay attention to the following issues respectively complete specifications when ordering:

- article / combination
- covering material, with combination of covering materials covering material per cover part
- with leather covers and fabric-leather combinations production with or without contrast stitching
- with version with contrast stitching colour of contrast
- version motor-driven relax function (mains current or rechargeable battery)
- leg version (incl. aluminium bracket), also finish



YOKO NO.3

RETAIL PRICE LIST 2023 PRICING Edition 03.11.2022

MOTOR-DRIVEN FUNCTIONAL ARMCHAIR Leg part and back adjustable for a comfortable relax position with additional functional head piece. With maximum adjustument the total depth is $156\ \text{cm}$.

7	I ARMCHAIR	ACCESSORIES
	Functional armchair	Neck cushion w. counter weight
H min. 92 H max. 120 D min. 93 D max. 156 SD min. 54 SD max. 100 SH 47	v	YN1 ≟ D 25
W	76	43

Requirement 0,50 COM 10 13 16 20 25 30 45			
10 13 16 20 25 30			
10 13 16 20 25 30	Requirement	0,50	A
10 13 16 20 25 30			
13 16 20 25 30	СОМ		ति
13 16 20 25 30			
16 20 25 30	10		
20 25 30	13		
25 30	16		
30	20		
	25		
45	30		
45			
45			
	45		

Requirement	0,70	
COM		
Χ		
Α		
В		
С		
D		
E		
F		
G		
Extra charge for	pattery:	
	o price different covers the more expensive price category will be invoiced as standard:	
e.g. Fabric 13. f	abric 20 -> price fabric 20 / Fabric 16, leather B -> price leather B	