



JESRO PRODUCT INFORMATION

Please also note our general details and sales information

Edition 20.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective. / WEEE-Reg.-No. DE 69718127

DESIGN

CONSTRUCTIVE DESIGN

All the materials used correspond to the requirements according to RAL-GZ 430/4.

Single armchair, wooden base frame

Seat upholstery structure: zig-zag springs, polystyrene foam VW 40, Diolen

Back upholstery structure: rubber straps, polystyrene foam, Diolen

UPHOLSTERY CASUAL / LOOSE

With casual upholsteries you are rather sitting "in the sofa" than on it, the upholstery snuggles. A casual/loose upholstery is characterized by a smooth upholstery structure. The cover is not waveless. The ridge of the covers on the seat, back and armrests as well as sitzmarks due to the model and design are typical.

BACK TENSIONING SECTIONS

All back tensioning sections are supplied as standard with the original cover.

SEAM

Depending on the model, the seam on leather covers may be different from fabric covers, especially on fitted items. Decorative leather seam (as felled seams or double seams) may be omitted depending on the model according to suitability of the fabric covering material.

COVERING MATERIALS

You may find the information concerning the specific properties of the covering materials on the sample labels.

INDICATIONS OF DIMENSIONS AND REQUIREMENTS

All the values given are approximate values: dimensions in centimetres, material requirements in metres, leather requirements in square metres.

FUNCTION

HEAD PIECE ADJUSTMENT

The head piece can be infinitely moved up up to 13 cm.





Furthermore the head piece can be manually adjusted by a ratchet mechanism into different positions.



LEGS

Single armchair VM and VH

4-arm metal rotary spray optionally available in:

- nickel satined (stainless steel optics)
- powder-coated structural black mat

from the left to the right:





Metal rotary plate optionally available in:

- nickel satined (stainless steel optics)
- structural black mat (lacquered)



Cantilever VF

Cantilever frame optionally available in:

- nickel satined (stainless steel optics)
- powder-coated structural black mat





JESRO PRODUCT INFORMATION

Please also note our general details and sales information

Edition 20.08.2024

Errors and amendments excepted. Our General Terms and Conditions are effective

ARMREST

Single armchair VM

Metal armrest with covered inlay optionally available in:

- nickel satined (stainless steel optics)
- powder-coated structural black mat

The inlay is made according to the main cover of the current collection.



Single armchair VH

Wooden armrest solid (UV laminated with oil effect) optionally available in:

- wild oak natural
- wild oak bianco
- wild walnut

from the left to the right:







Cantilever VF

Optional with ${\it covered\ armrest}$ (armchair width 66 cm) or ${\it wooden\ overlay}$ (armchair width 71 cm).

The covered armrest is made according to the main cover of the current collection. With processing in fabric the armrest is always delivered in leather C CLASSIC crow.



Wooden overlay solid (UV laminated with oil effect) optionally available in:

- wild oak natural
- wild oak bianco
- wild walnut

from the left to the right:







CONTRAST STITCHING

The production is carried out either **with contrast stitching** or with a **thread (tone on tone)** matching the leather in terms of colour.

CONTRAST STITCHING

With leather covers and with fabric 13-BISON a contrast thread colour must be explicitly chosen.

Unfortunately with fabric and microfiber covers without leather part a processing with contrast stitching is not possible (Exception 13-BISON).

THREAD TONE ON TONE

The model is worked with a thread matching the cover in terms of colour (tone on tone).



ORDER CHECK LIST

Please pay attention to the following issues respectively to complete specifications when ordering:

- article
- covering material
- with leather covers production with or without contrast thread
- $\quad \text{with version with contrast stitching } \textbf{colour of contrast thread} \\$
- armrest version
- leg respectively frame version, also finish







WITH FUNCTIONAL HEAD PIECE By adjustment of the head piece forward the total depth is reduced up to 5 cm. When the head piece is raised the total height is enlarged up to 13 cm. **With cantilever VF please note:** With covered armrest the total width is reduced up to 5 cm.

I ARMCHAIRS

•		Single arr w. woode		Cantilever		
VM		VH	ı	VF		
H min.	92	H min.	92	H min.	97	
H max.	105	H max.	105	H max.	110	
D min.	87	D min.	87	D min.	87	
D max.	91	D max.	91	D max.	92	
SD	51	SD	51	SD	51	
SH	45	SH	45	SH	46	
68	,	70)	71		

••	00	70	71	
Requirement	2,10	2,00	2,00	FABRIC
				뜻
COM				<u>_</u>
10				
13				
16				
20				
25				
30				
45				

Requirement	4,10	4,00	4,10			LEATHER
COM						黃
						고
X						
Α						
В						
С						
D						
E						
F						
G						